JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 438 (1992)

AUTHOR INDEX

Al-Rubaie, A.Z., (438) 77
Antonelli, D.M., (438) C4

Bauer, W., (438) 1
Becker, B., (438) 45
Behm, J., (438) 297
Berg, D., (438) 45
Bonnet, M.C., (438) 217
Brandes, W., (438) 45
Bringmann, G., (438) 117
Burkert, K.J., (438) 297

Cano, M., (438) 329
Canovese, L., (438) 253
Casas, J.S., (438) 29
Castellano, E.E., (438) 29
Cervantes-Lee, F., (438) 183
Cesarotti, E., (438) 343
Chaabouni, R., (438) 217
Cheikh, R.B., (438) 217
Chen, W., (438) 289
Chiang, H.-J., (438) C9
Claver, C., (438) 213
Cox, D.N., (438) 195
Cox, G., (438) 143
Crociani, B., (438) 253
Cunningham, D., (438) 143

Dahan, F., (438) 217
Dartiguenave, M., (438) 83
Dartiguenave, Y., (438) 83
Davies, S.E., (438) 241
Dem'yanov, P.I., (438) 265
Di Bianca, F., (438) 253
Douce, L., (438) 167
Dowling, C., (438) 143
Dutzmann, S., (438) 45

Edelmann, F.T., (438) 1
Ellebracht, A., (438) 319
Englert, U., (438) 309
Eujen, R., (438) 57, C1

Fernandez, M.J., (438) 337
Filippou, A.C., (438) C15
Fischer, E.O., (438) C15

Gao, F., (438) 289
García, M.P., (438) 229
Ghedini, M., (438) 343
Grassi, M., (438) 343
Green, M.L.H., (438) C4
Gross, M., (438) 167

Harris, M.C.J., (438) 209
Härter, P., (438) 297
Heras, J.V., (438) 329
Hill, A.F., (438) 209
Hörnig, A., (438) 309

Ionina, E.A., (438) C23

Jiménez, M.V., (438) 229
Jin, Z., (438) 289

Kee, T.P., (438) 89
Kiefer, W., (438) 319
Knochel, P., (438) 11
Knösel, F., (438) 1
Kölle, U., (438) 309
Krishnamurthy, S.S., (438) 99, 241
Krut'ko, D.P., (438) 265

Laghmari, M., (438) 213
Lemos, M.A.N.D.A., (438) 159
Lewis, Z.G., (438) 353
Liu, C.-S., (438) C9
Louati, A., (438) 167
Lumini, T., (438) 195

Mamedyarova, I.A., (438) C26
Manning, A.R., (438) 143
Masdeu, A., (438) 213
Matt, D., (438) 167
McArdle, P., (438) 143
Meidine, M.F., (438) 241
Mountford, P., (438) C4

Nefedova, M.N., (438) C26
Nethaji, M., (438) 99
Neve, F., (438) 343
Nixon, J.F., (438) 241

Odiaka, T.I., (438) 131
Oro, L.A., (438) 229, 337
Ovejero, P., (438) 329

Pannell, K.H., (438) 183
Patorra, A., (438) 57, C1
Pauer, F., (438) 1
Peters, K., (438) 39, 117
Petrosyan, V.S., (438) 265
Polzer, T., (438) 319
Pombeiro, A.J.L., (438) 159, C23
Prakasha, T.K., (438) 241
Pucci, D., (438) 343

Rajagopal, D., (438) 11
Reddy, V.S., (438) 99
Reid, B.D., (438) 371
Ritschl, A., (438) 39
Rodriguez, M.J., (438) 337
Roulet, R., (438) 195
Rozema, M.J., (438) 11

Sánchez, A., (438) 29
Schaller, K., (438) 45
Schupp, O., (438) 117
Sharma, H.K., (438) 183
Siebald, H., (438) 83
Sinou, D., (438) 213
Snatzke, G., (438) C26
Sokolov, V.I., (438) C26
Sordo, J., (438) 29
Stalke, D., (438) 1
Styrkov, I.M., (438) 265
Sum, V., (438) 89

Tacke, R., (438) 45
Thornton-Pett, M., (438) 89
Todres, Z.V., (438) C23
Tucker, C.E., (438) 11

Uguagliati, P., (438) 253

Van Eldik, R., (438) 131
Váquez-López, E.M., (438) 29
Vener, M.V., (438) 265
Völkl, C., (438) C15
Von Schnering, H.G., (438) 39, 117

Wagner, C., (438) C15
Walz, L., (438) 117
Wecker, U., (438) 319
Wei, G., (438) 289
Weidenbruch, M., (438) 39
Welch, A.J., (438) 353, 371
Werner, H., (438) 319

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 438 (1992)

SUBJECT INDEX

Boron

Indenyl carbametallaboranes. III. The synthesis and characterization of novel rhodium carbaborane compounds with 3-(C_2B_9)-8-{(C_9H_6)Rh(C_9H_7)}-3,1,2-*closo*-RhC_2B_9, 10-{(C_9H_6)Rh(C_9H_7)}-7,8-*nido*-C_2B_9, 9-{(C_9H_6)Rh(C_9H_7)}-7,8-*nido*-C_2B_9 and 3-(η-C_9H_7)-3,1,2-*closo*-RhC_2B_9 structures (Z.G. Lewis and A.J. Welch), (438) 353

Gadolinium

Synthesis and crystal structure of ($C_9H_7GdCl_2 \cdot 3THF$)THF (F. Gao, G. Wei, Z. Jin and W. Chen), (438) 289

Germanium

Verbindungen des Germaniums und Zinns. XI. Neue viergliedrige Ringe: Thiatrigermetan, Selenatrigermetan und *N*-Phenyltrigermacyclobutanimin (M. Weidenbruch, A. Ritschl, K. Peters und H.G. von Schnering), (438) 39

Bis(4-fluorophenyl)methyl(1*H*-1,2,4-triazol-1-yl-methyl)germane, a germanium analogue of the agricultural fungicide flusilazole: synthesis and biological properties (R. Tacke, B. Becker, D. Berg, W. Brandes, S. Dutzmann and K. Schaller), (438) 45

Gold

The synthesis and characterization of σ-bonded gold carbaborane compounds: *closo*-carbaboranes as good σ-donor ligands (B.D. Reid and A.J. Welch), (438) 371

Iridium

Carbon monoxide activation by poly(1-pyrazolyl)boratoiridium complexes (M.J. Fernandez, M.J. Rodriguez and L.A. Oro), (438) 337

Iron

Significance of entropies and volumes of activation for the addition of 4-formylpyridine to tricarbonyl(1–5-η-dienyl)iron(II) complexes (dienyl = C_6H_7, 2-$MeOC_6H_6$ and C_7H_9) (T.I. Odiaka and R. van Eldik), (438) 131

A reinvestigation of the reaction of $[Fe_2(\eta\text{-}C_5H_5)_2(CO)_{4-n}(CNR)_n]$ ($n = 1$ or 2) with strong alkylating agents (G. Cox, C. Dowling, A.R. Manning, P. McArdle and D. Cunningham), (438) 143

Electrochemical behaviour of *trans*-$[FeH(CNR)(dppe)_2]^+$. Kinetic parameters determined by digital simulation of cyclic voltammetry (M.A.N.D.A. Lemos and A.J.L. Pombeiro), (438) 159

Anodic oxidation of the ferrocenyl-derived β-ketophosphine $[Ph_2PCH_2C(O)(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)]$ and of two of its palladium complexes. Ferricinium-mediated oxidation of palladium(II)–phosphine complexes (A. Louati, M. Gross, L. Douce and D. Matt), (438) 167

The reaction between ferrocenyllithium and trimethylacetylchloride to form either trimethylacetylferrocene or 1,1′-bis(ferrocenyl)-2,2′-dimethylpropan-1-ol, an unusual hydrogen bonded dimer (H.K. Sharma, F. Cervantes-Lee and K.H. Pannell), (438) 183

First optically active ferricinium salts: a circular dichroism study (V.I. Sokolov, I.A. Mamedyarova, M.N. Nefedova and G. Snatzke), (438) C26

Lead

Trifluormethylsubstituierte Plumbane. Synthese, Eigenschaften und NMR-Spektren der Verbindungen $(CF_3)_nPbR_{4-n}$ ($n = 1$–3) und $(CF_3)_nPbR_{3-n}X$ ($n = 1, 2$; R = Me, Et; X = Hal) (R. Eujen und A. Patorra), (438) 57

Synthesis and spectroscopic properties of tetrakis(trifluoromethyl)plumbane, $(CF_3)_4Pb$ (R. Eujen and A. Patorra), (438) C1

Lithium

Solid-state and solution structures of three lithiumsulfinimidamides: identification of two distinct structural types (F.T. Edelmann, F. Knösel, F. Pauer, D. Stalke and W. Bauer), (438) 1

Structures of lithium salts of substituted 1-phenylpropynes: ^{13}C NMR and MNDO study (P.I. Dem'yanov, I.M. Styrkov, D.P. Krut'ko, M.V. Vener and V.S. Petrosyan), (438) 265

Lutetium

Alpha-metalated diazoalkanes: synthesis of yttrium, lutetium and ytterbium trimethylsilyldiazomethyl complexes (H. Siebald, M. Dartiguenave and Y. Dartiguenave), (438) 83

Manganese

Fulvenylsubstituierte Cp-Liganden. III. Komplexe des Anions $[C_5H_4CH{=}C_9H_6]^-$ mit Molybdän, Mangan und Rhodium (P. Härter, J. Behm und K.J. Burkert), (438) 297

Activation of carbon–carbon bond in the Mn-mediated cycloaddition reaction between disilacyclobutene and cyclohepta-1,3-diene (H.-J. Chiang and C.-S. Liu), (438) C9

Mercury

Preparation of polyfunctional diorganomercurials and their transmetallation to diorganozincs. Applications to the preparation of optically active secondary alcohols (M.J. Rozema, D. Rajagopal, C.E. Tucker and P. Knochel), (438) 11

Metallocenes

The reaction between ferrocenyllithium and trimethylacetylchloride to form either trimethylacetylferrocene or 1,1′-bis(ferrocenyl)-2,2′-dimethylpropan-1-ol, an unusual hydrogen bonded dimer (H.K. Sharma, F. Cervantes-Lee and K.H. Pannell), (438) 183

First optically active ferricinium salts: a circular dichroism study (V.I. Sokolov, I.A. Mamedyarova, M.N. Nefedova and G. Snatzke), (438) C26

Molybdenum

Silylated diphosphite complexes of molybdenum. Crystal structures of the compounds $Mo(CO)_4[P(OMe)_2O]_2SiR^2R^3$ ($R^2 = R^3 =$ Ph or $R^2 =$ Me, $R^3 =$ Ph) (V. Sum, T.P. Kee and M. Thornton-Pett), (438) 89

Organometallics of diphosphazanes. V. The different coordination behaviour of *cis*- and *trans*-cyclodiphosphazanes towards Group 6 metal carbonyl moieties (V.S. Reddy, S.S. Krishnamurthy and M. Nethaji), (438) 99

Fulvenylsubstituierte Cp-Liganden. III. Komplexe des Anions $[C_5H_4CH{=}C_9H_6]^-$ mit Molybdän, Mangan und Rhodium (P. Härter, J. Behm und K.J. Burkert), (438) 297

Heterobimetallic Group 6-rhodium complexes. II. Reactions of $[Rh(S_2CNEt_2)(CO)_2]$ with the complexes $[M(CO)_3(\eta^2\text{-phen})(\eta^1\text{-dppm})]$ (M = Mo or W) and $[Mo(CO)_4(\eta^2\text{-dppm})]$ as P-donor systems (M. Cano, P. Ovejero and J.V. Heras), (438) 329

Niobium

Synthesis of η-cyclopentadienylidene-4-imidopropylniobium derivatives $[Nb(\eta{:}\sigma\text{-}C_5H_4(CH_2)_3N)Cl_2]$ and $[Nb(\eta{:}\sigma\text{-}C_5H_4(CH_2)_3N)(PMe_3)Cl_2]$ (D.M. Antonelli, M.L.H. Green and P. Mountford), (438) C4

Osmium

Novel synthesis and vibrational analysis of (arene)osmium(II) complexes of the type $[(C_6H_3(CH_3)_3)OsH_2(L)]$ (T. Polzer, A. Ellebracht, W. Kiefer, U. Wecker and H. Werner), (438) 319

Palladium

Anodic oxidation of the ferrocenyl-derived β-ketophosphine $[Ph_2PCH_2C(O)(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)]$ and of two of its palladium complexes. Ferricinium-mediated oxidation of palladium(II)–phosphine complexes (A. Louati, M. Gross, L. Douce and D. Matt), (438) 167

Organometallics of diphosphazanes. VI. Reactions of bicyclo-1,3,2-λ^3,4-λ^3-diazadiphosphetidines (bicyclic diphosphazenes) with Group 6 metal carbonyls and palladium and platinum(II) complexes (T.K. Prakasha, S.S. Krishnamurthy, S.E. Davies, M.F. Meidine and J.F. Nixon), (438) 241

Organometallic nucleophiles. Mechanism of halide displacement at saturated carbon by 2-pyridyl and 4-pyridyl complexes $[M(dmtc)(C_5H_4N\text{-}C^n)(L)]$ (M = Pd, Pt; dmtc = dimethyldithiocarbamate; n = 2,4; L = tertiary phosphine) (L. Canovese, P. Uguagliati, F. Di Bianca and B. Crociani), (438) 253

Palladium(II) complexes with the cyclometallated C–Y–N(sp^2)–Pd–C(sp^2) ring (Y = N,C) and (R)-(+)-hydroxy-methylene camphor (M. Ghedini, F. Neve, D. Pucci, E. Cesarotti and M. Grassi), (438) 343

Phosphorus

Reaktionen von $[Cp^*Ru(OMe)]_2$. XIII. Pentaalkylcyclopentadienyl Ru und Rh Alkoxo-, Hydroxo- und Thiolato-Komplexe (U. Kölle, A. Hörnig und U. Englert), (438) 309

Platinum

Organometallics of diphosphazanes. VI. Reactions of bicyclo-1,3,2-λ^3,4-λ^3-diazadiphosphetidines (bicyclic diphosphazenes) with Group 6 metal carbonyls and palladium and platinum(II) complexes (T.K. Prakasha, S.S. Krishnamurthy, S.E. Davies, M.F. Meidine and J.F. Nixon), (438) 241

Organometallic nucleophiles. Mechanism of halide displacement at saturated carbon by 2-pyridyl and 4-pyridyl complexes $[M(dmtc)(C_5H_4N\text{-}C^n)(L)]$ (M = Pd, Pt; dmtc = dimethyldithiocarbamate; n = 2,4; L = tertiary phosphine) (L. Canovese, P. Uguagliati, F. Di Bianca and B. Crociani), (438) 253

Rhenium

Novel concepts in directed biaryl synthesis. XV. Chiral rhenium complexes $[(\eta^5\text{-}C_5H_5)Re(NO)(PPh_3)(R,R\text{-lactone})]^+ BF_4^-$ of lactone-bridged biaryls as ligands: synthesis, structure, and stereochemical properties (G. Bringmann, O. Schupp, K. Peters, L. Walz and H.G. von Schnering), (438) 117

Phosphinic complexes of rhenium and tungsten in reactions with stereoindicators (Z.V. Todres, E.A. Ionina and A.J.L. Pombeiro), (438) C23

Rhodium

Chiral sulfonated phosphines. VIII. Hydrogenation of dehydropeptides in a two-phase system (M. Laghmari, D. Sinou, A. Masdeu and C. Claver), (438) 213

Synthesis and characterization of rhodium complexes [Rh(Az)(L)Cl] (Az = 2,2-dimethyl-3-phenyl-3-allylaziridine; L = C_2H_4, CO, or PPh_3). Crystal and molecular structure of [Rh(Az)(CO)Cl] (R.B. Cheikh, M.C. Bonnet, R. Chaabouni and F. Dahan), (438) 217

Pentafluorophenyl compounds of rhodium(III) with bidentate phosphorus or nitrogen ligands (M.P. García, M.V. Jiménez and L.A. Oro), (438) 229

Fulvenylsubstituierte Cp-Liganden. III. Komplexe des Anions $[C_5H_4CH{=}C_9H_6]^-$ mit Molybdän, Mangan und Rhodium (P. Härter, J. Behm und K.J. Burkert), (438) 297

Reaktionen von $[Cp^*Ru(OMe)]_2$. XIII. Pentaalkylcyclopentadienyl Ru und Rh Alkoxo-, Hydroxo- und Thiolato-Komplexe (U. Kölle, A. Hörnig und U. Englert), (438) 309

Heterobimetallic Group 6-rhodium complexes. II. Reactions of $[Rh(S_2CNEt_2)(CO)_2]$ with the complexes $[M(CO)_3(\eta^2\text{-phen})(\eta^1\text{-dppm})]$ (M = Mo or W) and $[Mo(CO)_4(\eta^2\text{-dppm})]$ as P-donor systems (M. Cano, P. Ovejero and J.V. Heras), (438) 329

Indenyl carbametallaboranes. III. The synthesis and characterization of novel rhodium carbaborane compounds with 3-(C_2B_9)-8-{(C_9H_6)Rh(C_9H_7)}-3,1,2-*closo*-RhC_2B_9, 10-{(C_9H_6)Rh(C_9H_7)}-7,8-*nido*-C_2B_9, 9-{(C_9H_6)Rh(C_9H_7)}-7,8-*nido*-C_2B_9 and 3-(η-C_9H_7)-3,1,2-*closo*-RhC_2B_9 structures (Z.G. Lewis and A.J. Welch), (438) 353

Ruthenium

Hydrogen migration to acyclic pentadienyl ligands: the reactions of (η^5-2,4-dimethylpentadienyl)(η^4-2,4-dimethylpenta-1,3-diene)(L)ruthenium(II) tetrafluoroborates (L = ^{t}BuNC, CO, $P(OMe)_3$) with dienes (D.N. Cox, T. Lumini and R. Roulet), (438) 195

Synthesis of 1,3-dienyl complexes of ruthenium(II) by facile hydroruthenation/dehydration of propargylic alcohols (M.C.J. Harris and A.F. Hill), (438) 209

Reaktionen von [Cp*Ru(OMe)]$_2$. XIII. Pentaalkylcyclopentadienyl Ru und Rh Alkoxo-, Hydroxo- und Thiolato-Komplexe (U. Kölle, A. Hörnig und U. Englert), (438) 309

Selenium

New cyclic selenide. Synthesis, characterization and reactions of 2-methylselenolan (A.Z. Al-Rubaie), (438) 77

Silicon

Solid-state and solution structures of three lithiumsulfinimidamides: identification of two distinct structural types (F.T. Edelmann, F. Knösel, F. Pauer, D. Stalke and W. Bauer), (438) 1

Thallium

Dimethyl(diorganophosphinodithioformato-*S*,*S'*)-thallium(III) compounds. X-Ray structure of [Tl(CH_3)$_2${$S_2CP(C_6H_5)_2$}(THF)] (E.M. Váquez-López, A. Sánchez, J.S. Casas, J. Sordo and E.E. Castellano), (438) 29

Tungsten

Organometallics of diphosphazanes. V. The different coordination behaviour of *cis*- and *trans*-cyclodiphosphazanes towards Group 6 metal carbonyl moieties (V.S. Reddy, S.S. Krishnamurthy and M. Nethaji), (438) 99

Heterobimetallic Group 6-rhodium complexes. II. Reactions of [Rh(S_2CNEt_2)$(CO)_2$] with the complexes [$M(CO)_3$(η^2-phen)(η^1-dppm)] (M = Mo or W) and [$Mo(CO)_4$(η^2-dppm)] as P-donor systems (M. Cano, P. Ovejero and J.V. Heras), (438) 329

Übergangsmetall-Carbin-Komplexe. CIII. Aktivierung von Ethylisocyanid an elektronenreichen Metallzentren; Synthese von einkernigen Wolfram-Aminocarbin-Komplexen des Typs Tp'$(CO)_2$W≡CN(R)-Et (R = Me, Et) (A.C. Filippou, C. Wagner, E.O. Fischer und C. Völkl), (438) C15

Phosphinic complexes of rhenium and tungsten in reactions with stereoindicators (Z.V. Todres, E.A. Ionina and A.J.L. Pombeiro), (438) C23

Ytterbium

Alpha-metalated diazoalkanes: synthesis of yttrium, lutetium and ytterbium trimethylsilyldiazomethyl complexes (H. Siebald, M. Dartiguenave and Y. Dartiguenave), (438) 83

Yttrium

Alpha-metalated diazoalkanes: synthesis of yttrium, lutetium and ytterbium trimethylsilyldiazomethyl complexes (H. Siebald, M. Dartiguenave and Y. Dartiguenave), (438) 83

Zinc

Preparation of polyfunctional diorganomercurials and their transmetallation to diorganozincs. Applications to the preparation of optically active secondary alcohols (M.J. Rozema, D. Rajagopal, C.E. Tucker and P. Knochel), (438) 11

Book reviews

The Organometallic Chemistry of the Transition Elements, by R.H. Crabtree (G.J. Leigh), (438) C13